

QUARTERLY NONCOMPLIANCE REPORT NPDES MAJOR FACILITIES

1st QUARTER CY 2023

Prepared by the
Missouri Department of Natural Resources
Division of Environmental Quality
Water Protection Program
Water Pollution Control Branch
Compliance and Enforcement Section

Missouri Department of Natural Resources P.O. Box 176 Jefferson City, MO 65102

Joe Clayton, Section Chief

State of Missouri Quarterly Statistical Report All Major Dischargers by Region

Reporting Period: January - March 2023 (1st Quarter CY 2023) Preparer's Initials: EMH

Regions

		KCR	NER	SER	SLR	SWR	CFO	Total
1	Total Number of Permittees	34	19	29	31	27	11	151
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	1	0	2	2	1	0	6
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	0	0	0	0	0	0	0
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	1	1	1	1	0	0	4
3	Total number of facilities in noncompliance this quarter	2	3	9	3	3	1	21
4	Compliance rate (%) ((#1- #3)/#1)	94.1	84.2	69.0	90.3	88.9	90.9	86.1
5	Facilities in noncompliance, RESOLUTION PENDING	0	2	6	0	2	1	11
6	Facilities RESOLVED from last quarter	1	1	1	2	1	0	6
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6-month period.	2	3	9	2	3	1	20

State of Missouri Quarterly Statistical Report All Major Dischargers by Category

Reporting Period: January - March 2023 (1st Quarter CY 2023) Preparer's Initials: EMH

Facility Category

	T	Municipal	Non Municipal	Foderal	Tetal
		Municipal	Non-Municipal	Federal	Total
1	Total Number of Permittees	123	26	2	151
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	3	3	0	6
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	0	0	0	0
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	2	2	0	4
3	Total number of facilities in noncompliance this quarter	13	8	0	21
4	Compliance rate(%) ((#1- #3)/#1)	89.4	69.2	100.0	86.1
5	Facilities in noncompliance, RESOLUTION PENDING	8	3	0	11
6	Facilities RESOLVED from last quarter	6	0	0	6
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6- month period.	13	7	0	20

DATE: 8/24/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 1 -

MAJOR MUNICIPAL MISSOURI FROM: 01/01/23 to 03/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

MO0116572

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

BOLIVAR WWTP RESOLVED PENDING, UNDER ENF. AOC FOR SSOs. I&I CAUSING EXCEEDS. NEW EXCEEDS IN 2023.

BOLIVAR (SWR) RESOLVED PENDING

MO0022373

NH3 001A CHR 04/30/22 - 06/30/22, 2/28/23 RP 06/30/22 2C RESOLVED PENDING

BUTLER WWTP NON-COMPLIANT, EXP REC'D - EQUIP ISSUES. NO EXCEEDS SINCE 3/2023.

BUTLER (KCR) NE

M00096229 \$

NH3 001A EFF 12/31/22, 03/31/23 NC 03/31/23 2C EFFLUENT PERMIT VIOLATION

CARROLLTON WWTP RESOLVED, EXP REC'D - UV EQUIP ISSUES. NO EXCEEDS SINCE 8/2022.

CARROLLTON (NER) RESOLVED

M00096318 \$

E.COLI 001A CHR 04/30/22 - 08/31/22 RE 08/31/22 2C RESOLVED

CARUTHERSVILLE WWTF NON-COMPLIANT, EXP REC'D - AERATION ISSUES - CORRECTED. NO 2Cs SINCE 04/2023.

CARUTHERSVILLE (SER) NEW

M00095028 \$

PH 001M CHR 11/30/22 - 03/31/23 NC 03/31/23 2C CHRONIC EFFLUENT VIOLATION

CENTER CREEK WWTF RESOLVED PENDING, UNDER ENF-NEW AOC DRAFTED-PENDING PERMIT RENEWAL.

WEBB CITY (SWR) RESOLVED PENDING

MO0040185 \$

ZN 002MICHR 02/29/20 - 08/31/20, RP 03/31/23 2C RESOLVED PENDING

10/31/20 - 06/30/22,

10/31/22 - 03/31/23

CUBA WWTP RESOLVED, EXP REC'D - UV SYSTEM ISSUES -RO CONDUCTED CAV. NO EXCEEDS SINCE 09/2022.

CUBA (SER) RESOLVED

MO0094919 \$

E.COLI 001M EFF 04/30/22, 08/31/22, 09/30/22 RE 09/30/22 2C RESOLVED

DCSD WWTP RESOLVED, EXP RCV'D - REPORTS MISSED - WILL SUBMIT. MISSING REPORTS RECEIVED.

ST. CHARLES (SLR) RESOLVED

PERMIT SCHEDULE RPT OVERDUE RPT 11/01/22 RE 01/01/23 2B RCV'D MISSING RESPONSE

PERMIT SCHEDULE RPT OVERDUE RPT 12/01/22 RE 02/01/23 2B RCV'D MISSING STATUS/PRGRSS RPT

DATE: 8/24/2023 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 2 -REGION 07

MISSOURI FROM: 01/01/23 TO 03/31/23 MAJOR MUNICIPAL

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

RPT 12/31/22

NPDES NO.

MO0026336 OVERDUE DMR

NAME VIOLATION STATUS LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

INSTANCE OF NONCOMPLIANO	CE RNC DATE STATUS	DATE CODE COMMENTS
DEXTER EAST LAGOON DEXTER (SER) M00023213 \$	RESOLVED PENDING, UNDER ENF-AOC, WWTF UPGRD COM RESOLVED PENDING	IP 03/2017, NEW XAOC 11/22/21 FOR ADD'L. UPGRADES.
NH3 (AS N)	001A CHR 02/28/17 - 01/31/20, RP (04/30/20 - 6/30/20, 09/30/20 - 03/31/23	03/31/23 2C RESOLVED PENDING
E. COLI		10/31/22 2C RESOLVED
BOD	001A EFF 10/31/22, 12/31/22 RE 1	12/31/22 2C RESOLVED
FESTUS-CRYSTAL CITY WWTP FESTUS-CRYSTAL CITY (SLR) MO0080632	RESOLVED, LOW SENT 01/2023 - NO EXCEEDS SINCE 0 RESOLVED	9/2022.
NH3	001A EFF 08/31/22, 09/30/22 RE	09/30/22 2C RESOLVED
HOLLISTER WWTF HOLLISTER (SWR) MO0116041	RESOLVED, INSPECTION - NOV. UPGRADES/IMPRVMNTS RESOLVED	TO WWTF. RO MONITOR'G. NO 2CS SINCE 09/2022.
NH3 (AS N)	001M CHR 07/31/21 - 09/30/21, 11/31/21, RE 01/31/22, 03/31/22 - 08/31/22	08/31/22 2C RESOLVED
E.COLI BOD		07/31/22 2C RESOLVED 07/31/22 2C RESOLVED
MOBERLY WWTP MOBERLY (NER) MO0117960 \$	NON-COMPIANT, EXP RCV'D - AERATION BLOWERS DOWN SAME	I, REPAIRED. NO EXCEEDS SINCE 01/2023.
BOD NH3	001M CHR 09/30/22 - 11/30/22, 01/31/23 NC 001M CHR 10/31/22, 11/30/22, 01/31/23 NC 0	01/31/23 2C CHRONIC EFFLUENT VIOLATION 01/31/23 2C PERMIT EFFLUENT VIOLATION
MONETT WWTP MONETT (SWR) MO0021440 \$	NON-COMPIANT, LOW SENT 6/12/23. EXP RCV'D - WWT.	P REPAIRS COMPLETED. NO EXCEEDS SINCE 4/2023.
NH3 (AS N)	001A CHR 07/31/22, 09/30/22, 10/31/22, NC 12/31/22 - 03/31/23	03/31/22 2C CHRONIC EFFLUENT VIOLATION
SAVANNAH WWTF SAVANNAH (KCR)	RESOLVED, RO CONTACTED TO REMIND - REPORT MISSERESOLVED	D, WILL SUBMIT. MISSING REPORT RCV'D.

RE

01/31/23 3D MISSING ALL PARAMETERS - RCV'D

DATE: 8/24/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 3 -

MAJOR MUNICIPAL MISSOURI FROM: 01/01/23 to 03/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

SS %RMVL

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS RESOLVED PENDING, UNDER ENF. UPGRADING WWTP. AOC IN DRAFT. SEDALIA CENTRAL WWTP SEDALIA (NER) RESOLVED PENDING MO0023019 001A EFF 09/30/21, 11/30/21 - 03/31/22 RP NH3 03/31/23 2C RESOLVED PENDING 04/30/22, 06/30/22, 08/31/22 - 03/31/23 001A EFF 03/31/22, 05/31/22 - 10/31/22 RP BOD 03/31/23 RESOLVED PENDING 01/31/23, 03/31/23 001A EFF 06/30/22 - 09/30/22 E.COLI 09/30/22 2C RESOLVED RESOLVED PENDING, UNDER ENF. REPLACING WWTP. AOC IN DRAFT. SEDALIA NORTH WWTP RESOLVED PENDING SEDALIA (NER) MO0023027 CU 001Q CHR 12/31/20, 03/31/20, 06/30/20, RP 03/31/23 2C RESOLVED PENDING 03/31/21, 06/30/21, 9/30/21, 12/31/21, 03/03/22, 06/30/22 09/30/22, 12/31/22, 03/31/23 001M CHR 12/31/20 - 03/31/21, RP NH3 01/31/23 2C RESOLVED PENDING 06/30/21 - 09/30/21, 11/30/21 - 02/28/2210/31/22 - 01/31/23 BOD 001M EFF 11/30/22 - 12/31/22 12/31/22 2C RESOLVED PENDING 001M CHR 11/30/22, 12/31/22, 02/28/23 RP 02/28/23 2C RESOLVED PENDING TSS SIKESTON WWTP RESOLVED PENDING, UNDER ENF COMP MONITOR SCHED. UPGRADES COMPLETE JUNE 2023. NO 2Cs SINCE 4/2023. RESOLVED PENDING SIKESTON (SER) MO0035009 E.COLI 001M CHR 04/30/22 - 10/31/22 10/31/22 2C RESOLVED 001M CHR 03/31/22, 04/30/22 - 01/31/23 RP 2C NH3 01/31/23 RESOLVED PENDING 001M CHR 01/31/22, 04/30/22 - 02/28/23 RP CBOD 02/28/23 2C RESOLVED PENDING 001M CHR 04/30/22 - 02/28/23 02/28/23 TSS RP 2C RESOLVED PENDING CBOD %RMVL 001M CHR 04/30/22, 05/31/22 RE 08/31/22 2C RESOLVED 07/31/22, 08/31/22

02/28/23

RESOLVED PENDING

0.01M CHR 0.4/3.0/22 - 0.2/2.8/2.3 RP

DATE: 8/24/2023 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE -4-REGION 07 MAJOR MUNICIPAL MISSOURI FROM: 01/01/23 TO 03/31/23 KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING ************************************ NAME **VIOLATION STATUS** STATUS COMPARED TO PREVIOUS QUARTER REGION LOCATION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS NON-COMPLIANT, EXP RCV'D - UV PART REPAIRED. NEW EXCEEDS 202023. SMITHVILLE WWTP SMITHVILLE (KCR) SAME MO0055204 E.COLI 001M EFF 09/30/22, 10/31/22 NC 10/31/22 2C PERMIT EFFLUENT VIOLATION RESOLVED PENDING, UNDER ENF. CP ISSUED FOR UV SYSTEM UPGRADES-COMPLETED. NEW CP FOR CONSTRUCTION. ST. JAMES WWTP ST. JAMES (CFO) RESOLVED PENDING MO0093564 \$ 001M CHR 05/31/22 - 07/31/22, 09/30/22 RP 03/31/23 2C E.COLI RESOLVED PENDING 10/31/22, 01/31/23, 03/31/23 WEST PLAINS WWTP RESOLVED PENDING, UNDER ENF - AOC PENDING. INSPECTED 4/26/22 - LOW. NEW EXCEEDS 20/2023.

001M CHR 02/28/22, 04/30/22 - 06/30/22 RP 06/30/22

2.C

RESOLVED PENDING

RESOLVED PENDING

WEST PLAINS

\$

MO0096610

E.COLI

(SER)

DATE: 8/24/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 5 -

MAJOR NON-MUNICIPAL MISSOURI FROM: 01/01/23 to 03/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

INSTANCE OF NONCOMPLIANCE	RNC DATE	STATUS DATE	CODE COMMENTS
ANSCHUTZ-MADISON MINE FREDERICKTOWN (SER) MO0098752	RESOLVED PENDING, UNDER ENF. EPA ACTION RESOLVED PENDING	И.	
CO	002A CHR 08/31/14 - 12/31/14, 03/31/15 05/31/15 - 10/31/15, 12/31/15 - 02/29/16, 06/30/16 - 08/31/16, 10/31/16 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 11/30/17, 01/31/18 - 03/31/18, 07/31/18 - 10/31/18, 12/31/18 02/28/19 - 12/31/20 - 07/31/22, 09/30/21 - 06/30/22, 08/31/22, 09/30/22, 10/31/22, 12/31/22 - 03/31/23	, 1,	2C RESOLVED PENDING
NI	002A CHR 08/31/14 - 12/31/14, 03/31/15 05/31/14 - 10/31/15, 12/31/15 - 03/31/16, 06/30/16 - 08/31/16, 10/31/16, 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 10/31/17 - 11/30/17 01/31/18 - 03/31/18 07/31/18 - 10/31/18, 12/31/18 02/28/19 - 09/30/22, 10/31/22, 12/31/22 - 03/31/23	,	2C RESOLVED PENDING
CU	002A CHR 02/28/17 - 04/30/17, 08/31/17 04/30/18, 09/30/18, 04/30/19 - 06/30/19, 12/31/19, 02/29/20 - 06/30/20, 08/31/20, 09/30/20, 12/31/20, 02/28/21, 06/30/21 - 06/30/22, 8/30/22, 09/30/22, 10/31/22, 12/31/22 - 03/31/23	,	2C RESOLVED PENDING
CD	002A CHR 02/28/21 - 07/31/21 09/30/21 - 02/28/22 04/30/22, 06/30/22 - 09/30/22 10/31/22, 12/31/22 - 02/28/23	RP 02/28/23	2C RESOLVED PENDING
CD	001A EFF 01/31/23, 02/28/23	RP 02/28/23	2C RESOLVED PENDING
CU	001A CHR 02/28/21 - 06/30/21, 08/31/21 - 05/31/22	RP 05/31/22	2C RESOLVED PENDING
LD	001A CHR 02/28/21 - 05/31/22, 12/31/22, 01/31/23, 03/31/23	, RP 03/31/23	2C RESOLVED PENDING

DATE: 8/24/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 6 -

MAJOR NON-MUNICIPAL MISSOURI FROM: 01/01/23 to 03/31/23

KEY: NC NON-COMPLIANT	RE RESOLVED RP RESOLVED PENDING	_
NAME LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE	VIOLATION STATUS STATUS COMPARED TO PREVIOUS QUARTER	
•••••		••
LD	002A CHR 02/28/21 - 04/30/22, 06/30/22, RP 03/31/23 2C RESOLVED PENDING 08/30/22, 09/30/22, 10/31/22	
NI	12/31/22, 01/31/23, 03/31/23 001A CHR 07/31/21 - 10/31/21, 06/30/22, RP 10/31/22 2C RESOLVED PENDING 08/31/22, 09/30/22, 10/31/22	
AMEREN MO - LABADIE ST. LOUIS (SLR)	NON-COMPLIANT, RO SENT REMINDER. NEW	
MO0000361 PERMIT SCHEDULE RPT OVERDUE	RPT 02/28/23 NC 04/28/23 2B MISSING RESPONSE	
AMEREN MO - MERAMEC ST. LOUIS (SLR) M00000361	NON-COMPLIANT, NO EXCEEDANCES SINCE 4/2023. NEW	
TSS	003M EFF 01/31/23, 02/28/23 NC 02/28/23 2C PERMIT EFFLUENT VIOLATION	
DOE RUN - GLOVER FACILITY ANNAPOLIS (SER) M00001121	RESOLVED PENDING, EXP RCV'D - WWTP SHUT DOWN/RE-START ISSUES. NO EXCEEDS SINCE $12/2022$. RESOLVED PENDING	
CD	003M CHR 07/31/22, 09/30/22, 11/30/22 RP 11/30/22 2C RESOLVED PENDING	
LONE STAR INDUSTRIES INC. CAPE GIRARDEAU (SER) M00000809	NON-COMPLIANT, EXP RCV'D - O&M ISSUES W/ WWTP - RO CAV CONDUCTED. HIRING NEW OPERATOR. SAME	
NH3	003Q CHR 06/30/22, 09/30/22, 12/31/22 NC 03/31/23 2C CHRONIC EFFLUENT VIOLATION 03/31/23	
E.COLI	003Q EFF 06/30/22, 09/30/22 RE 09/30/22 2C RESOLVED	
MEMC, LLC ST. PETERS (SLR) MO0000299	NON-COMPLIANT, NEW EXCEEDANCES 6/2023. SAME	
CHLORIDE	001M CHR 02/28/22 - 04/30/22, 06/30/22 NC 02/28/23 2C CHRONIC EFFLUENT VIOLATION 10/31/22 - 02/28/23	
PEA RIDGE RESOURCES SULLIVAN (SER) M00000574	RESOLVED PENDING, UNDER ENF. NEW OWNER-NEW PERMIT ISSUED 7/1/22. MONITORING EFFLUENT DATA. RESOLVED PENDING	
SULFATE	001A CHR 01/31/14 - 04/30/16, 06/30/16 RP 06/30/16 2C RESOLVED PENDING	

QUARTERLY NON-COMPLIANCE REPORT ** QNCR DATE: 8/24/2023 REGION 07 PAGE - 7 -MAJOR NON-MUNICIPAL MISSOURI FROM: 01/01/23 TO 03/31/23 RE RESOLVED KEY: NC NON-COMPLIANT RP RESOLVED PENDING NAME VIOLATION STATUS STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

SIKESTON POWER STATION NON-COMPLIANT, EXP RCVD - WWTP UPGRADES. NO EXCEEDANCES SINCE 2/2023.

SIKESTON (SER) NEW

MO0095575

IRON 003A EFF 12/31/22, 01/31/23 NC 01/31/23 2C PERMIT EFFLUENT VIOLATION



QUARTERLY NONCOMPLIANCE REPORT NPDES MAJOR FACILITIES

2nd QUARTER CY 2023

Prepared by the
Missouri Department of Natural Resources
Division of Environmental Quality
Water Protection Program
Water Pollution Control Branch
Compliance and Enforcement Section

Missouri Department of Natural Resources P.O. Box 176 Jefferson City, MO 65102

Joe Clayton, Section Chief

State of Missouri Quarterly Statistical Report All Major Dischargers by Region

Reporting Period: April - June 2023 (2nd Quarter CY 2023) Preparer's Initials: EMH

Regions

				Regions				
		KCR	NER	SER	SLR	SWR	CFO	Total
1	Total Number of Permittees	34	19	29	32	27	11	152
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	3	0	0	1	0	0	4
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	0	0	0	0	0	0	0
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	2	0	0	1	1	0	4
3	Total number of facilities in noncompliance this quarter	5	3	6	3	3	1	21
4	Compliance rate (%) ((#1- #3)/#1)	85.3	84.2	79.3	90.6	88.9	90.9	86.2
5	Facilities in noncompliance, RESOLUTION PENDING	0	3	6	1	2	1	13
6	Facilities RESOLVED from last quarter	0	0	3	1	0	0	4
7	Facilities with two or more violations of the same monthly average permit limitation in the current month period.	4	3	6	3	3	1	20

State of Missouri Quarterly Statistical Report All Major Dischargers by Category

Reporting Period: April - June 2023 (2nd Quarter CY 2023)

Preparer's Initials: EMH

Facility Category

		Municipal	Non-Municipal	Federal	Total
1	Total Number of Permittees	124	26	2	152
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	4	0	0	4
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	0	0	0	0
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	3	1	0	4
3	Total number of facilities in noncompliance this quarter	15	6	0	21
4	Compliance rate (%) ((#1- #3)/#1)	87.9	76.9	100.0	86.2
5	Facilities in noncompliance, RESOLUTION PENDING	8	5	0	13
6	Facilities RESOLVED from last quarter	2	2	0	4
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6- month period.	14	6	0	20

DATE: 12/1/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 1 -

MAJOR MUNICIPAL MISSOURI FROM: 04/01/23 to 06/30/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NEW

NPDES NO.

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

BOLIVAR WWTP RESOLVED PENDING, UNDER ENF. AOC FOR SSOS. I&I CAUSING EXCEEDS. NEW EXCEEDS IN 2023.

BOLIVAR (SWR) RESOLVED PENDING

MO0022373

NH3 001A CHR 04/30/22 - 06/30/22, 2/28/23, RP 05/31/23 2C RESOLVED PENDING

05/31/23

BLUE SPRINGS, SNI A BAR WWTF NON-COMPLIANT, EXP REC'D - EQUIP ISSUES. NO EXCEEDS SINCE 8/2023.

GRAIN VALLEY (KCR) N

MO0028886

NH3 001A EFF 05/31/23, 06/30/23 NC 06/30/23 2C EFFLUENT PERMIT VIOLATION

BUTLER WWTP NON-COMPLIANT, EXP REC'D - EQUIP ISSUES. NEW EXCEED 8/2023.

BUTLER (KCR) SAME

MO0096229 \$

NH3 001A EFF 12/31/22, 03/31/23 NC 03/31/23 2C EFFLUENT PERMIT VIOLATION

CAMERON WWTF NON-COMPLIANT, EXP REC'D - UV EQUIP UNDER CONSTRUCTION.

CAMERON (KCR)

MO0104299 \$

E.COLI 001M EFF 04/30/23 - 06/30/23 NC 06/30/23 2C EFFLUENT PERMIT VIOLATION

CARUTHERSVILLE WWTF RESOLVED PENDING, EXP REC'D - AERATION ISSUES - CORRECTED. NO 2Cs SINCE 04/2023.

CARUTHERSVILLE (SER) RESOLVED PENDING

M00095028 \$

PH 001M CHR 11/30/22 - 03/31/23 RP 03/31/23 2C RESOLVED PENDING

CENTER CREEK WWTF RESOLVED PENDING, UNDER ENF-NEW AOC DRAFTED-PENDING PERMIT RENEWAL.

WEBB CITY (SWR) RESOLVED PENDING

MO0040185 \$

ZN 002MICHR 02/29/20 - 08/31/20, RP 06/30/23 2C RESOLVED PENDING

10/31/20 - 06/30/22,

10/31/22 - 06/30/23

DEXTER EAST LAGOON RESOLVED PENDING, UNDER ENF-AOC, WWTF UPGRD COMP 03/2017, NEW XAOC 11/22/21 FOR ADD'L. UPGRADES.

DEXTER (SER) RESOLVED PENDING

M00023213 \$
NH3 (AS N) 001A CHR 02/28/17 - 01/31/20, RP 04/30/23 2C RESOLVED PENDING

04/30/20 - 6/30/20,

09/30/20 - 04/30/23

TSS 001A EFF 03/31/23, 04/30/23 RP 04/30/23 2C RESOLVED PENDING

DATE: 12/1/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 2 -MAJOR MUNICIPAL MISSOURI FROM: 04/01/23 TO 06/30/23 KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING ************************************ NAME **VIOLATION STATUS** STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS NON-COMPLIANT, UNDER ENF - AOC. EUREKA WWTF EUREKA (SLR) MO0039659 004A CHR 04/30/23 - 06/30/23 E.COLI NC 06/30/23 2C CHRONIC EFFLUENT VIOLATION NON-COMPLIANT, RO SENT REMINDER. HARRISONVILLE WWTP HARRISONVILLE (KCR) MO0028070 PERMIT SCHEDULE RPT OVERDUE RPT 06/01/23 NC 08/01/23 2В MISSING STATUS/PROGRESS RPT RESOLVED PENDING, EXP RCV'D - AERATION BLOWERS DOWN, REPAIRED. NO EXCEEDS SINCE 01/2023. MOBERLY WWTP MOBERLY (NER) RESOLVED PENDING

01/31/23

01/31/23

04/30/23

NON-COMPIANT, LOW SENT 6/12/23. EXP RCV'D - WWTP REPAIRS COMPLETED. NO EXCEEDS SINCE 4/2023.

2C

2C

2C

RESOLVED PENDING

CHRONIC EFFLUENT VIOLATION

RESOLVED PENDING

001M CHR 09/30/22 - 11/30/22, 01/31/23 RP

001M CHR 10/31/22, 11/30/22, 01/31/23 RP

001A CHR 07/31/22, 09/30/22, 10/31/22, NC

12/31/22 - 04/30/23

SAME

(SWR)

MO0117960 BOD

MONETT WWTP

MO0021440 NH3 (AS N)

NH3

MONETT

DATE: 12/1/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 3 -

MAJOR MUNICIPAL MISSOURI FROM: 04/01/23 to 06/30/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS RESOLVED PENDING, UNDER ENF. UPGRADING WWTP. AOC PENDING APPROVAL. SEDALIA CENTRAL WWTP SEDALIA (NER) RESOLVED PENDING MO0023019 001A CHR 09/30/21, 11/30/21 - 03/31/22 RP NH3 06/30/23 2C RESOLVED PENDING 04/30/22, 06/30/22, 08/31/22 - 06/30/23 001A CHR 03/31/22, 05/31/22 - 10/31/22 RP BOD 06/30/23 RESOLVED PENDING 01/31/23, 03/31/23, 06/30/23 001A CHR 01/31/22 - 04/30/23 SS %RMVL RP 04/30/23 RESOLVED PENDING

SEDALIA NORTH WWTP RESOLVED PENDING, UNDER ENF. REPLACING WWTP. AOC PENDING APPROVAL.

SEDALIA (NER) RESOLVED PENDING

MO0023027 CU 001Q CHR 12/31/20, 03/31/20, 06/30/20, RP 06/30/23 2C RESOLVED PENDING 03/31/21, 06/30/21, 9/30/21, 12/31/21, 03/03/22, 06/30/22 09/30/22, 12/31/22, 03/31/23, 06/30/23 NH3 001M CHR 12/31/20 - 03/31/21, 06/30/23 RΡ 2C RESOLVED PENDING 06/30/21 - 09/30/21, 11/30/21 - 02/28/22, 10/31/22 - 06/30/23001M EFF 11/30/22 - 12/31/22 12/31/22 2C BOD RESOLVED TSS 001M CHR 11/30/22, 12/31/22, 02/28/23, RP 06/30/23 2C RESOLVED PENDING 04/30/23 - 06/30/23

SIKESTON WWTP RESOLVED, UNDER ENF COMP MONITOR SCHED. UPGRADES COMPLETE JUNE 2023. NO 2Cs SINCE 4/2023.

SIKESTON (SER) RESOLVED

MO0035009 NH3 001M CHR 03/31/22, 04/30/22 - 01/31/23 RE 01/31/23 2C RESOLVED 001M CHR 01/31/22, 04/30/22 - 02/28/23 RE 02/28/23 CBOD 2C RESOLVED TSS 0.01M CHR 0.4/30/22 - 0.2/28/23 RE 02/28/23 2C RESOLVED SS %RMVL 001M CHR 04/30/22 - 02/28/23 RE 02/28/23 2C RESOLVED DATE: 12/1/2023 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE -4-REGION 07 MAJOR MUNICIPAL MISSOURI FROM: 04/01/23 TO 06/30/23 KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING ************************************ NAME **VIOLATION STATUS** STATUS COMPARED TO PREVIOUS QUARTER REGION LOCATION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS NON-COMPLIANT, EXP RCV'D - UV PART REPAIRED. NEW EXCEEDS CONTINUING. SMITHVILLE WWTP SMITHVILLE (KCR) SAME MO0055204 E.COLI 001M EFF 09/30/22, 10/31/22, NC 06/30/23 2C PERMIT EFFLUENT VIOLATION 04/30/23 - 06/30/23 ST. JAMES WWTP RESOLVED PENDING, UNDER ENF. CP ISSUED FOR UV SYSTEM UPGRADES-COMPLETED. NEW CP FOR CONSTRUCTION. ST. JAMES (CFO) RESOLVED PENDING MO0093564 E.COLI 001M CHR 05/31/22 - 07/31/22, 09/30/22 RP 05/31/23 2C RESOLVED PENDING 10/31/22, 01/31/23, 03/31/23, 05/31/23

001M CHR 02/28/22, 04/30/22 - 06/30/22 RE

WEST PLAINS WWTP

MO0096610 E.COLI (SER)

RESOLVED

RESOLVED, UNDER ENF - AOC PENDING. INSPECTED 4/26/22 - LOW. NEW EXCEEDS 20/2023.

06/30/22

2C

RESOLVED

DATE: 12/1/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 5 -

MAJOR NON-MUNICIPAL MISSOURI FROM: 01/01/23 to 03/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

ANSCHUTZ-MADISON MINE PREDERICKTOWN (SER) 100098752	RESOLVED PENDING, UNDER ENF. EPA ACTION. RESOLVED PENDING			
00	002A CHR 08/31/14 - 12/31/14, 03/31/15 RP 05/31/15 - 10/31/15, 12/31/15 - 02/29/16,	05/31/23	2C	RESOLVED PENDING
	06/30/16 - 08/31/16, 10/31/16 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 11/30/17, 01/31/18 - 03/31/18,			
	07/31/18 - 10/31/18, 12/31/18 02/28/19 - 12/31/20 - 07/31/21, 09/30/21 - 06/30/22, 08/31/22,			
	09/30/22, 10/31/22, 12/31/22 - 05/31/23			
II	002A CHR 08/31/14 - 12/31/14, 03/31/15 RP 05/31/14 - 10/31/15, 12/31/15 - 03/31/16,	06/30/23	2C	RESOLVED PENDING
	06/30/16 - 08/31/16, 10/31/16, 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 10/31/17			
	08/31/17, 10/31/17 - 11/30/17 01/31/18 - 03/31/18 07/31/18 - 10/31/18, 12/31/18			
	02/28/19 - 09/30/22, 10/31/22, 12/31/22 - 06/30/23			
CU	002A CHR 02/28/17 - 04/30/17, 08/31/17 RP 04/30/18, 09/30/18, 04/30/19 - 06/30/19, 12/31/19,	06/30/23	2C	RESOLVED PENDING
	02/29/20 - 06/30/20, 08/31/20, 09/30/20, 12/31/20, 02/28/21,			
	06/30/21 - 06/30/22, 8/30/22, 09/30/22, 10/31/22, 12/31/22 - 06/30/23			
CD	002A CHR 02/28/21 - 07/31/21 RP 09/30/21 - 02/28/22 04/30/22, 06/30/22 - 09/30/22	06/30/23	2C	RESOLVED PENDING
	10/31/22, 12/31/22 - 02/28/23, 06/30/23			
CD	001A EFF 01/31/23, 02/28/23 RE	02/28/23	2C	RESOLVED
CU	001A CHR 02/28/21 - 06/30/21, RE 08/31/21 - 05/31/22	05/31/22	2C	RESOLVED
JD	001A CHR 02/28/21 - 05/31/22, 12/31/22, RP	06/30/23	2C	RESOLVED PENDING

DATE: 12/1/2023 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE -6-

MAJOR NON-MUNICIPAL MISSOURI FROM: 01/01/23 TO 03/31/23 KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING NAME VIOLATION STATUS STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS 01/31/23, 06/30/23 LD002A CHR 02/28/21 - 04/30/22, 06/30/22, RP 06/30/23 RESOLVED PENDING 08/30/22, 09/30/22, 10/31/22 12/31/22, 01/31/23, 03/31/23, 05/31/23, 06/30/23 001A CHR 07/31/21 - 10/31/21, 06/30/22, RE ΝI 10/31/22 2 C RESOLVED 08/31/22, 09/30/22, 10/31/22 AMEREN MO - LABADIE RESOLVED, RO SENT REMINDER - RCV'D ST. LOUIS (SLR) RESOLVED MO0000361 PERMIT SCHEDULE RPT OVERDUE RPT 02/28/23 04/28/23 2B MISSING RESPONSE - RCV'D RESOLVED PENDING, NO EXCEEDANCES SINCE 4/2023. AMEREN MO - MERAMEC ST. LOUIS (SLR) RESOLVED PENDING MO0000361 TSS 003M EFF 01/31/23, 02/28/23 02/28/23 2C RESOLVED PENDING RESOLVED, EXP RCV'D - WWTP SHUT DOWN/RE-START ISSUES. NO EXCEEDS SINCE 12/2022. DOE RUN - GLOVER FACILITY ANNAPOLIS (SER) RESOLVED MO0001121 CD 003M CHR 07/31/22, 09/30/22, 11/30/22 RE 11/30/22 2C RESOLVED LONE STAR INDUSTRIES INC. RESOLVED PENDING, EXP RCV'D - O&M ISSUES W/ WWTP - RO CAV. HIRED NEW OPERATOR. NO NEW EXCEEDS. CAPE GIRARDEAU

(SER) RESOLVED PENDING MO0000809

NH3 003Q CHR 06/30/22, 09/30/22, 12/31/22 RP 03/31/23 RESOLVED PENDING 03/31/23

NON-COMPLIANT, NEW EXCEEDANCES 302023. MEMC, LLC ST. PETERS (SLR) SAME

MO0000574

MO0000299 001M CHR 02/28/22 - 04/30/22, 06/30/22 NC 06/30/23 2 C CHLORIDE CHRONIC EFFLUENT VIOLATION 10/31/22 - 02/28/23, 06/30/23

RESOLVED PENDING, UNDER ENF. NEW OWNER-NEW PERMIT ISSUED 7/1/22. AOC PENDING. PEA RIDGE RESOURCES RESOLVED PENDING SULLIVAN (SER)

SULFATE 001A CHR 01/31/14 - 04/30/16, 06/30/16 RP 06/30/16 2C RESOLVED PENDING DMR OVERDUE 001M RPT 02/28/23 03/28/23 3D EXPLANTION RECEIVED

QUARTERLY NON-COMPLIANCE REPORT ** QNCR DATE: 12/1/2023 REGION 07 PAGE - 7 -MAJOR NON-MUNICIPAL MISSOURI FROM: 01/01/23 TO 03/31/23 RE RESOLVED KEY: NC NON-COMPLIANT RP RESOLVED PENDING NAME VIOLATION STATUS STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

SIKESTON POWER STATION RESOLVED PENDING, EXP RCVD - WWTP UPGRADES. NO EXCEEDANCES SINCE 2/2023.

SIKESTON (SER) RESOLVED PENDING

M00095575
IRON 003A EFF 12/31/22, 01/31/23 RP 01/31/23 2C RESOLVED PENDING



QUARTERLY NONCOMPLIANCE REPORT NPDES MAJOR FACILITIES

3rd QUARTER CY 2023

Prepared by the
Missouri Department of Natural Resources
Division of Environmental Quality
Water Protection Program
Water Pollution Control Branch
Compliance and Enforcement Section

Missouri Department of Natural Resources P.O. Box 176 Jefferson City, MO 65102

Joe Clayton, Section Chief

State of Missouri Quarterly Statistical Report All Major Dischargers by Region

Reporting Period: July - September 2023 (3rd Quarter CY 2023)

Preparer's Initials: EMH

Regions

		KCR	NER	SER	SLR	SWR	CFO	Total
1	Total Number of Permittees	34	19	29	32	27	11	152
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	3	0	1	1	1	0	6
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	0	0	0	0	0	0	0
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	4	0	0	1	0	0	5
3	Total number of facilities in noncompliance this quarter	7	2	4	3	4	0	20
4	Compliance rate (%) ((#1- #3)/#1)	79.4	89.5	86.2	90.6	85.2	100.0	86.8
5	Facilities in noncompliance, RESOLUTION PENDING	0	2	3	1	3	0	9
6	Facilities RESOLVED from last quarter	1	1	3	1	0	1	7
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6-month period.	8	3	7	4	4	1	27

State of Missouri Quarterly Statistical Report All Major Dischargers by Category

Reporting Period: July - September 2023 (3rd Quarter CY 2023)

Preparer's Initials: EMH

Facility Category

		Municipal	Non-Municipal	Federal	Total
1	Total Number of Permittees	124	26	2	152
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	6	0	0	6
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	0	0	0	0
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	4	1	0	5
3	Total number of facilities in noncompliance this quarter	17	3	0	20
4	Compliance rate (%) ((#1- #3)/#1)	86.3	88.5	100.0	86.8
5	Facilities in noncompliance, RESOLUTION PENDING	7	2	0	9
6	Facilities RESOLVED from last quarter	4	3	0	7
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6- month period.	17	3	0	20

DATE: 4/1/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** ONCR PAGE -1-

MAJOR MUNICIPAL MISSOURI FROM: 07/01/23 TO 09/30/23

RE RESOLVED RP RESOLVED PENDING KEY: NC NON-COMPLIANT

VIOLATION STATUS NAME

REGION STATUS COMPARED TO PREVIOUS QUARTER LOCATION

NPDES NO.

MO0040185

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

BOLIVAR WWTP RESOLVED PENDING, UNDER ENF. AOC FOR SSOs. I&I CAUSING EXCEEDS.

BOLIVAR (SWR) RESOLVED PENDING

MO0022373

NH3 001A CHR 04/30/22 - 06/30/22, 2/28/23, RP 08/31/23 2C RESOLVED PENDING 05/31/23, 08/31/23

NON-COMPLIANT, EXP REC'D - EQUIP ISSUES. NO EXCEEDS SINCE 8/2023. BLUE SPRINGS, SNI A BAR WWTF

GRAIN VALLEY (KCR)

MO0028886

NH3 001A CHR 05/31/23 - 8/31/23 NC 08/31/23 2C CHRONIC EFFLUENT VIOLATION

BUTLER WWTP NON-COMPLIANT, EXP REC'D - EQUIP ISSUES.

SAME BUTLER (KCR)

MO0096229 \$

001A CHR 12/31/22, 03/31/23, 08/31/23 NC NH3 08/31/23 2C CHRONIC EFFLUENT VIOLATION

CAMERON WWTF NON-COMPLIANT, EXP REC'D - UV EQUIP UNDER CONSTRUCTION.

SAME CAMERON (KCR)

\$ MO0104299

E.COLI 001M CHR 04/30/23 - 09/30/23 NC 09/30/23 2C CHRONIC PERMIT VIOLATION

NON-COMPLIANT, EXP REC'D - UV BULB AND SYSTEM ISSUES - REPAIRED. NO EXCEEDANCES SINCE 09/2023. CARL JUNCTION WWTP

CARL JUNCTION (SWR) NEW

MO0025186

E.COLI 001A EFF 08/31/23, 09/30/23 09/30/23 2C PERMIT EFFLUENT VIOLATION

RESOLVED, EXP REC'D - AERATION ISSUES - CORRECTED, NO 2Cs SINCE 04/2023. CARUTHERSVILLE WWTF

CARUTHERSVILLE (SER) RESOLVED

MO0095028

001M CHR 11/30/22 - 03/31/23 PH RE

03/31/23 2C RESOLVED

CENTER CREEK WWTF RESOLVED PENDING, UNDER ENF-NEW AOC DRAFTED-PENDING PERMIT RENEWAL.

WEBB CITY RESOLVED PENDING (SWR)

ZN 002MICHR 02/29/20 - 08/31/20. RP 09/30/23 2C RESOLVED PENDING

10/31/20 - 06/30/22

10/31/22 - 09/30/23

CUBA WWTP NON-COMPLIANT, EXP REC'D - UV BULB ISSUES AND HIGH RAINFALL.

NEW CUBA (SER)

\$

MO0094919 Ś E.COLI 001M CHR 04/30/23, 08/31/23 - 09/30/23 NC 09/30/23 2C CHRONIC EFFLUENT VIOLATION

QUARTERLY NON-COMPLIANCE REPORT ** QNCR DATE: 4/1/2024 REGION 07 PAGE - 2 -

MAJOR MUNICIPAL **MISSOURI** FROM: 07/01/23 TO 09/30/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

NH3

THE DESTRO.									
INSTANCE OF NONCO	MPLIANCE	RNC DATE		STA'	TUS DATE	CODE	COMMEN	ΓS	
DEXTER EAST LAGOON DEXTER	(SER)	RESOLVED PENDING,	UNDER ENF-AOC, WWTF	UPGRD	COMP 03/2017,	NEW XAOC	11/22/21	FOR ADD'L.	UPGRADES.
MO0023213 \$									
NH3 (AS N)		09/30/20	7 - 01/31/20, 0 - 6/30/20, 0 - 04/30/23, 3 - 09/30/23	RP	09/30/23	2C	RESOLVED	PENDING	
E.COLI		001A CHR 04/30/23	3, 08/31/23, 09/30/23	RP	09/30/23	2C	RESOLVED	PENDING	
BOD		001A EFF 04/30/23	3, 07/31/23	RP	07/31/23	2C	RESOLVED	PENDING	
TSS		001A CHR 03/31/23	04/30/23	RE	04/30/23	2C	RESOLVED		
EUREKA WWTF EUREKA MO0039659	(SLR)	RESOLVED PENDING, RESOLVED PENDING	UNDER ENF - AOC. AC	QUIRED	BY MAWC. REPA	IRING UV	SYSTEM.		
E.COLI		004A CHR 04/30/23	3 - 09/30/23	RP	09/30/23	2C	RESOLVED	PENDING	
FESTUS-CRYSTAL CITY CRYSTAL CITY M00080632 \$	WWTP (SLR)	NON-COMPLIANT, NO	EXPLANATION - NO EXC	CEEDANC	CES SINCE 07/2	023.			
NH3		001A EFF 04/30/23	3, 07/31/23	NC	07/31/23	2C	PERMIT EF	FLUENT VIO	LATION
HARRISONVILLE WWTP HARRISONVILLE MO0028070	(KCR)	RESOLVED, MISSING	REPORT RCV'D.						
PERMIT SCHEDULE RPT	OVERDUE	RPT 06/01/23	3	RE	08/01/23	2В	RESOLVED	- MISSING	RPT RCV'D
KC TODD CREEK WWTP KANSAS CITY MO0024961	(KCR)	NON-COMPLIANT, EX	CP RCV'D - UV EQUIPMEN	NT ISSU	JES, REPAIRED.	NO EXCEE	DANCES SII	NCE 07/2023	
E.COLI		001M EFF 06/30/23	3, 07/31/23	NC	07/31/23	2C	PERMIT EF	FLUENT VIO	LATION
MARYVILLE WWTP MARYVILLE MO0033286	(KCR)	NON-COMPLIANT, EX	KP RCV'D - UV EQUIPMEN	NT ISSU	JES, CORRECTED	. NO EXCE	EDANCES S	INCE 09/202	3.
E.COLI		001A EFF 08/31/23	3, 09/30/23	NC	09/30/23	2C	PERMIT EF	FLUENT VIO	LATION
MOBERLY WWTP MOBERLY MO0117960 \$	(NER)	RESOLVED, NO EXCE	EEDS SINCE 01/2023.						
BOD		001M CHR 09/30/22	2 - 11/30/22, 01/31/23	3 RE	01/31/23	2C	RESOLVED		
202			11/00/22, 01/01/20						

01/31/23

2C

RESOLVED

001M CHR 10/31/22, 11/30/22, 01/31/23 RE

DATE: 4/1/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 3 - MAJOR MUNICIPAL MISSOURI FROM: 07/01/23 to 09/30/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

MONETT WWTP RESOLVED PENDING, LOW SENT 6/12/23. EXP RCV'D - WWTP REPAIRS COMPLETED. NO EXCEEDS SINCE 4/2023.
MONETT (SWR) RESOLVED PENDING

MONETT (SWR) MO0021440 \$

NH3 (AS N) 001A CHR 07/31/22, 09/30/22, 10/31/22, RP 04/30/23 2C RESOLVED PENDING 12/31/22 - 04/30/23

PCRSD BRUSH CREEK WWTP NON-COMPLIANT, EXP RCV'D - MUD SLUGLOAD INTO WWTP, CORRECTED. NO EXCEEDANCES SINCE 09/2023. PARKVILLE (KCR) NEW

M00119474 NH3 001M EFF 08/31/23, 09/30/23 NC 09/30/23 2C PERMIT EFFLUENT VIOLATION

SEDALIA CENTRAL WWTP RESOLVED PENDING, UNDER ENF. UPGRADING WWTP. ACC PENDING APPROVAL.
SEDALIA (NER) RESOLVED PENDING

SEDALIA (NER) RESOLVED PENDING M00023019

NH3 001A CHR 09/30/21, 11/30/21 - 03/31/22 RP 09/30/23 2C RESOLVED PENDING 04/30/22, 06/30/22, 08/31/22 - 09/30/23

BOD 001A CHR 03/31/22, 05/31/22 - 10/31/22 RP 09/30/23 2C RESOLVED PENDING 01/31/23, 03/31/23,

E.COLI 001A EFF 05/31/23, 08/31/23 RP 08/31/23 2C RESOLVED PENDING SS %RMVL 001A CHR 01/31/22 - 04/30/23 RE 04/30/23 2C RESOLVED

SEDALIA NORTH WWTP RESOLVED PENDING, UNDER ENF. REPLACING WWTP. AOC PENDING APPROVAL.

06/30/23 - 09/30/23

SEDALIA (NER) RESOLVED PENDING

M00023027 CU 001Q CHR 12/31/20, 03/31/20, 06/30/20, RP 09/30/23 2C RESOLVED PENDING 03/31/21, 06/30/21, 9/30/21,

12/31/21, 03/03/22, 06/30/22 09/30/22, 12/31/22, 03/31/23, 06/30/23, 09/30/23

NH3 001M CHR 12/31/20 - 03/31/21, RP 09/30/23 2C RESOLVED PENDING

06/30/21 - 09/30/21, 11/30/21 - 02/28/22,

10/31/22 - 09/30/23 TSS 001M CHR 11/30/22, 12/31/22, 02/28/23, RP 08/31/23 2C RESOLVED PENDING

04/30/23 - 08/31/23

DATE: 4/1/2024 MAJOR MUNICIPAL KEY: NC NON-COMPLIANT	MISSOURI	DN-COMPLIANCE REPORT ** QNCR RP RESOLVED PENDING	PAGE - 4 - FROM: 07/01/23 TO 09/30/23
NAME LOCATION REGION NPDES NO.	VIOLATION STATUS STATUS COMPARED TO PREVIOUS QUARTER		
INSTANCE OF NONCOMPLIANCE	RNC DATE S	STATUS DATE CODE COM	IMENTS
SMITHVILLE WWTP SMITHVILLE (KCR) MO0055204	NON-COMPLIANT, EXP RCV'D - UV EQUIP ISSUE SAME	ES. BASIN DOWN FOR MAINT. NO NE	3 EXCEEDS SINCE 09/2023.
E.COLI	001M CHR 09/30/22, 10/31/22, n 04/30/23 - 09/30/23	NC 09/30/23 2C CHRO	NIC EFFLUENT VIOLATION
NH3	- ,	NC 09/30/23 2C CHRO	NIC EFFLUENT VIOLATION
ST. JAMES WWTP ST. JAMES (CFO) MO0093564 \$	RESOLVED, UNDER ENF. CP ISSUED FOR UV SYSTEMSOLVED	STEM UPGRADES-COMPLETED. NO EXC	CEEDS SINCE 05/2023.
E.COLI	001M CHR 05/31/22 - 07/31/22, 09/30/22 H	RE 05/31/23 2C RESO	LVED

10/31/22, 01/31/23, 03/31/23,

05/31/23

DATE: 4/1/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** ONCR PAGE - 5 -

MAJOR NON-MUNICIPAL **MISSOURI** FROM: 07/01/23 TO 09/30/23

RE RESOLVED RP RESOLVED PENDING KEY: NC NON-COMPLIANT *******************

NAME **VIOLATION STATUS**

LD

STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS RESOLVED PENDING, UNDER ENF. EPA ACTION. ANSCHUTZ-MADISON MINE FREDERICKTOWN RESOLVED PENDING (SER) MO0098752 CO 002A CHR 08/31/14 - 12/31/14, 03/31/15 RP 09/30/23 RESOLVED PENDING 2C 05/31/15 - 10/31/15, 12/31/15 - 02/29/1606/30/16 - 08/31/16, 10/31/1612/31/16, 02/28/17 - 06/30/17, 08/31/17, 11/30/17, 01/31/18 - 03/31/18, 07/31/18 - 10/31/18, 12/31/18 02/28/19 - 12/31/20 - 07/31/2109/30/21 - 06/30/22, 08/31/22, 09/30/22, 10/31/22, 12/31/22 - 09/30/23 002A CHR 08/31/14 - 12/31/14, 03/31/15 RP 09/30/23 NΙ 2C RESOLVED PENDING 05/31/14 - 10/31/15, 12/31/15 - 03/31/16, 06/30/16 - 08/31/16, 10/31/16, 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 10/31/17 - 11/30/17 01/31/18 - 03/31/1807/31/18 - 10/31/18, 12/31/18 02/28/19 - 09/30/22, 10/31/22, 12/31/22 - 09/30/23 002A CHR 02/28/17 - 04/30/17, 08/31/17 RP 08/31/23 CU 2C RESOLVED PENDING 04/30/18, 09/30/18, 04/30/19 - 06/30/19, 12/31/19, 02/29/20 - 06/30/20, 08/31/20, 09/30/20, 12/31/20, 02/28/21, 06/30/21 - 06/30/22, 8/30/22, 09/30/22, 10/31/22, 12/31/22 - 05/31/23, 07/31/23 08/31/23 CD 002A CHR 02/28/21 - 07/31/21 RP 09/30/23 2C RESOLVED PENDING 09/30/21 - 02/28/22 04/30/22, 06/30/22 - 09/30/2210/31/22, 12/31/22 - 02/28/23, 06/30/23 - 09/30/23 001A CHR 02/28/21 - 05/31/22, 12/31/22, RP 08/31/23 LD2C RESOLVED PENDING 01/31/23, 06/30/23, 08/31/23 002A CHR 02/28/21 - 04/30/22, 06/30/22, RP

08/31/23

2C

RESOLVED PENDING

DATE: 4/1/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 6 -

MAJOR NON-MUNICIPAL MISSOURI FROM: 07/01/23 to 09/30/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

08/30/22, 09/30/22, 10/31/22 12/31/22, 01/31/23, 03/31/23, 05/31/23, 06/30/23 - 08/31/23

AMEREN MO - MERAMEC RESOLVED, NO EXCEEDANCES SINCE 4/2023.

ST. LOUIS (SLR) RESOLVED

MO0000361

TSS 003M EFF 01/31/23, 02/28/23 RE 02/28/23 2C RESOLVED

LONE STAR INDUSTRIES INC. RESOLVED, EXP RCV'D - O&M ISSUES W/ WWTP - RO CAV. HIRED NEW OPERATOR. NO NEW EXCEEDS.

CAPE GIRARDEAU (SER) RESOLVED

MO0000809

NH3 003Q CHR 06/30/22, 09/30/22, 12/31/22 RE 03/31/23 2C RESOLVED

03/31/23

MEMC, LLC NON-COMPLIANT, SOURCE OF LEAK IDENTIFIED - REPAIRS ONGOING. EXCEEDANCES ONGOING.

ST. PETERS (SLR) SAME

MO0000299

CHLORIDE 001M CHR 02/28/22 - 04/30/22, 06/30/22 NC 09/30/23 2C CHRONIC EFFLUENT VIOLATION

10/31/22 - 02/28/23, 06/30/23 - 09/30/23

PEA RIDGE RESOURCES RESOLVED PENDING, UNDER ENF. NEW OWNER-NEW PERMIT ISSUED 7/1/22. AOC PENDING.

SULLIVAN (SER) RESOLVED PENDING

M00000574

SULFATE 001A CHR 01/31/14 - 04/30/16, 06/30/16 RP 06/30/16 2C RESOLVED PENDING
DMR OVERDUE 001M RPT 02/28/23 RP 03/28/23 3D EXPLANTION RECEIVED

SIKESTON POWER STATION RESOLVED, EXP RCVD - WWTP UPGRADES. NO EXCEEDANCES SINCE 2/2023.

SIKESTON (SER) RESOLVED

M00095575

IRON 003A EFF 12/31/22, 01/31/23 RE 01/31/23 2C RESOLVED



QUARTERLY NONCOMPLIANCE REPORT NPDES MAJOR FACILITIES

4th QUARTER CY 2023

Prepared by the
Missouri Department of Natural Resources
Division of Environmental Quality
Water Protection Program
Water Pollution Control Branch
Compliance and Enforcement Section

Missouri Department of Natural Resources P.O. Box 176 Jefferson City, MO 65102

Joe Clayton, Section Chief

State of Missouri Quarterly Statistical Report All Major Dischargers by Region

Reporting Period: October - December 2023 (4th Quarter CY 2023)

Preparer's Initials: EMH

Regions

		KCR	NER	SER	SLR	SWR	CFO	Total
1	Total Number of Permittees	34	19	28	32	27	11	151
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	0	0	0	1	0	0	1
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	1	0	0	0	0	0	1
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	3	0	1	2	0	0	6
3	Total number of facilities in noncompliance this quarter	7	2	4	4	3	0	20
4	Compliance rate (%) ((#1- #3)/#1)	79.4	89.5	85.7	87.5	88.9	100.0	86.8
5	Facilities in noncompliance, RESOLUTION PENDING	3	2	3	1	3	0	12
6	Facilities RESOLVED from last quarter	0	0	0	0	1	0	1
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6-month period.	7	2	4	4	3	0	20

State of Missouri Quarterly Statistical Report All Major Dischargers by Category

Reporting Period: October - December 2023 (4th Quarter CY 2023)

Preparer's Initials: EMH

Facility Category

		Municipal	Non-Municipal	Federal	Total
1	Total Number of Permittees	124	26	2	152
2a	Facilities on QNCR which were not listed on previous QNCR (NEW)	1	0	0	1
2b	Facilities on QNCR which also were listed on previous QNCR but for DIFFERENT violations	1	0	0	1
2c	Facilities on QNCR which also were listed on the previous QNCR for SAME violations	5	1	0	6
3	Total number of facilities in noncompliance this quarter	17	3	0	20
4	Compliance rate (%) ((#1- #3)/#1)	86.3	88.5	100.0	86.8
5	Facilities in noncompliance, RESOLUTION PENDING	10	2	0	12
6	Facilities RESOLVED from last quarter	1	0	0	1
7	Facilities with two or more violations of the same monthly average permit limitation in the current 6- month period.	17	3	0	20

DATE: 5/30/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** ONCR PAGE -1-

MAJOR MUNICIPAL MISSOURI FROM: 10/01/23 to 12/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING **********

VIOLATION STATUS NAME

STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION

NPDES NO.

MO0025186

MO0040185

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

RESOLVED PENDING, UNDER ENF. AOC FOR SSOs. I&I CAUSING EXCEEDS. NEW EXCEEDS IN 1Q24. BOLIVAR WWTP

BOLIVAR (SWR) RESOLVED PENDING

MO0022373

001A CHR 04/30/22 - 06/30/22, 2/28/23, RP NH3 08/31/23 2C RESOLVED PENDING 05/31/23, 08/31/23

BLUE SPRINGS, SNI A BAR WWTF RESOLVED PENDING, EXP REC'D - EQUIP ISSUES. NO EXCEEDS SINCE 8/2023.

GRAIN VALLEY RESOLVED PENDING (KCR)

MO0028886

NH3 001A CHR 05/31/23 - 8/31/23 RP 08/31/23 2C RESOLVED PENDING

BUTLER WWTP NON-COMPLIANT, EXP REC'D - EQUIP ISSUES. NEW EXCEED IN 1024.

SAME BUTLER (KCR)

MO0096229

NH3 001A CHR 12/31/22, 03/31/23, 08/31/23 NC 08/31/23 2C CHRONIC EFFLUENT VIOLATION

CAMERON WWTF NON-COMPLIANT, EXP REC'D - UV EQUIP REPAIRED AND FULLY OPERATIONAL.

SAME CAMERON (KCR)

\$ MO0104299

E.COLI 001M CHR 04/30/23 - 10/31/23 10/31/23 NC 2C CHRONIC PERMIT VIOLATION

RESOLVED PENDING, EXP REC'D - UV BULB AND SYSTEM ISSUES - REPAIRED. NO EXCEEDANCES SINCE 09/2023. CARL JUNCTION WWTP

RESOLVED PENDING CARL JUNCTION (SWR)

E.COLI 001A EFF 08/31/23, 09/30/23 09/30/23 2C RESOLVED PENDING

RESOLVED PENDING, UNDER ENF-NEW AOC DRAFTED-PENDING PERMIT RENEWAL. CENTER CREEK WWTF

WEBB CITY RESOLVED PENDING

(SWR)

002MICHR 02/29/20 - 08/31/20. 12/31/23 2C ZNRP RESOLVED PENDING

10/31/20 - 06/30/22,

10/31/22 - 12/31/23

CUBA WWTP NON-COMPLIANT, EXP REC'D - UV BULB ISSUES AND HIGH RAINFALL.

CUBA (SER) SAME

MO0094919 Ś 001M CHR 04/30/23, 08/31/23 - 10/31/23 NC E.COLI 10/31/23 2C CHRONIC EFFLUENT VIOLATION DATE: 5/30/2024 QUARTERLY NON-COMPLIANCE REPORT ** ONCR PAGE - 2 -REGION 07

MAJOR MUNICIPAL **MISSOURI** FROM: 10/01/23 to 12/31/23

RE RESOLVED KEY: NC NON-COMPLIANT RP RESOLVED PENDING

VIOLATION STATUS NAME

STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION

NPDES NO.

MO0033286

MO0021440

INSTANCE OF NONCOMPL	IANCE RNC DATE	STATUS DATE	CODE COMMENTS	
DEXTER EAST LAGOON DEXTER (SE M00023213 \$	RESOLVED PENDING, UNDER ENF-AOC, WWTF TRESOLVED PENDING	UPGRD COMP 03/2017,	NEW XAOC 11/22/21 FOR ADD'L. UPGRA	ADES.
NH3 (AS N)	001A CHR 02/28/17 - 01/31/20, 04/30/20 - 6/30/20, 09/30/20 - 04/30/23, 07/31/23 - 12/31/23	RP 12/31/23	2C RESOLVED PENDING	
E.COLI BOD	001A CHR 04/30/23, 08/31/23 - 10/31/23 001A CHR 04/30/23, 07/31/23, 10/31/23, 11/30/23			
EUREKA WWTF EUREKA (SL M00039659	RESOLVED PENDING, UNDER ENF - AOC. ACQUED RESOLVED PENDING	UIRED BY MAWC. REPA	IRING UV SYSTEM.	
E.COLI	004A CHR 04/30/23 - 10/31/23	RP 10/31/23	2C RESOLVED PENDING	
FESTUS-CRYSTAL CITY WWT CRYSTAL CITY (SL M00080632 \$, -	EEDANCES SINCE 07/2	023. NEW EXCEEDS IN 1Q24.	
NH3	001A EFF 04/30/23, 07/31/23	NC 07/31/23	2C PERMIT EFFLUENT VIOLATION	1
KC TODD CREEK WWTP KANSAS CITY (KC	NON-COMPLIANT, EXP RCV'D - UV EQUIP IS: CR) DIFFERENT	SUES, REPAIRED. NH3	EXCEEDS CORRECTED. NO 2Cs SINCE 10	0/2023.
E.COLI NH3	001M EFF 06/30/23, 07/31/23 001M EFF 07/31/23, 10/31/23	RP 07/31/23 NC 10/31/23	2C RESOLVED PENDING 2C PERMIT EFFLUENT VIOLATION	1

RESOLVED PENDING, EXP RCV'D - UV EQUIPMENT ISSUES, CORRECTED. NO EXCEEDANCES SINCE 09/2023. MARYVILLE WWTP

MARYVILLE (KCR) RESOLVED PENDING

001A EFF 08/31/23, 09/30/23 09/30/23 E.COLI RP 2C RESOLVED PENDING

RESOLVED, LOW SENT 6/12/23. EXP RCV'D - WWTP REPAIRS COMPLETED. NO EXCEEDS SINCE 4/2023. MONETT WWTP

MONETT (SWR) RESOLVED

001A CHR 07/31/22, 09/30/22, 10/31/22, RE NH3 (AS N) 04/30/23 2C RESOLVED

12/31/22 - 04/30/23

DATE: 5/30/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 3 -

MAJOR MUNICIPAL MISSOURI FROM: 10/01/23 to 12/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

NPDES NO.

TSS

INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS

INSTANCE OF NONCOMPLIANCE	RNC DATE STATUS DATE CODE COMMENTS
PCRSD BRUSH CREEK WWTP PARKVILLE (KCR) MO0119474	RESOLVED PENDING, EXP RCV'D - MUD SLUGLOAD INTO WWTP, CORRECTED. NO EXCEEDANCES SINCE 09/2023. RESOLVED PENDING
NH3	001M EFF 08/31/23, 09/30/23 RP 09/30/23 2C RESOLVED PENDING
PACIFIC WWTP PACIFIC (SLR) M00041131	NON-COMPLIANT, EXP RCV'D - MISSING DMR ANALYSIS NOT CONDUCTED. DAIRY IND CAUSING TSS EXCEEDS. NEW
TSS	001A CHR 09/30/23 - 12/31/23 NC 12/31/23 2C CHRONIC EFFLUENT VIOLATION
DMR OVERDUE	001B RPT 12/31/23 NC 01/31/23 3D MISSING NITRO & PHOS
DMR OVERDUE	SM1A RPT 12/31/23 NC 01/31/23 3D MISSING NITRO & PHOS
SEDALIA CENTRAL WWTP SEDALIA (NER)	RESOLVED PENDING, UNDER ENF - XAOC. UPGRADING WWTP. RESOLVED PENDING
M00023019	
NH3	001A CHR 09/30/21, 11/30/21 - 03/31/22 RP 09/30/23 2C RESOLVED PENDING 04/30/22, 06/30/22, 08/31/22 - 09/30/23
BOD	001A CHR 03/31/22, 05/31/22 - 10/31/22 RP 09/30/23 2C RESOLVED PENDING 01/31/23, 03/31/23, 06/30/23 - 09/30/23
E.COLI	001A EFF 05/31/23, 08/31/23, 10/31/23 RP 10/31/23 2C RESOLVED PENDING
SEDALIA NORTH WWTP	RESOLVED PENDING, UNDER ENF - XAOC. REPLACING WWTP.
SEDALIA (NER) MO0023027	RESOLVED PENDING, UNDER ENF - MAGC. REPLACING WWIP. RESOLVED PENDING
CU	001Q CHR 12/31/20, 03/31/20, 06/30/20, RP 12/31/23 2C RESOLVED PENDING 03/31/21, 06/30/21, 9/30/21, 12/31/21, 03/03/22, 06/30/22 09/30/22, 12/31/22, 03/31/23, 06/30/23, 09/30/23, 11/30/23, 12/31/23
NH3	001M CHR 12/31/20 - 03/31/21, RP 12/31/23 2C RESOLVED PENDING 06/30/21 - 09/30/21, 11/30/21 - 02/28/22,

001M CHR 11/30/22, 12/31/22, 02/28/23, RE 08/31/23 2C

RESOLVED

10/31/22 - 12/31/23

04/30/23 - 08/31/23

DATE: 5/30/2024	REGION 07	QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 4 -
MAJOR MUNICIPAL	MISSOURI	FROM: 10/01/23 to 12/31/23
KEY: NC NON-COMPLIANT	RE RESOLVED	RP RESOLVED PENDING
NAME	VIOLATION STATUS	
LOCATION REGION	STATUS COMPARED TO PREV	TOUS QUARTER
NPDES NO.		
INSTANCE OF NONCOMPLIANCE	RNC DATE	STATUS DATE CODE COMMENTS
SMITHVILLE WWTP	NON-COMPLIANT, EXP RCV'D -	- UV EQUIP ISSUES - CORRECTED. NO NH3 EXCEEDS SINCE 09/2023.
SMITHVILLE (KCR)	SAME	
MO0055204	00114 077 00/20/00 10/21/0	20 10/01/02 00 000000
E.COLI	001M CHR 09/30/22, 10/31/2 04/30/23 - 10/31/	•

NH3

001M CHR 06/30/23 - 09/30/23 RP 09/30/23 2C RESOLVED PENDING

DATE: 5/30/2024 REGION 07 QUARTERLY NON-COMPLIANCE REPORT ** QNCR PAGE - 5 -

MAJOR NON-MUNICIPAL MISSOURI FROM: 10/01/23 to 12/31/23

KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING

NAME VIOLATION STATUS

LOCATION REGION STATUS COMPARED TO PREVIOUS QUARTER

LOCATION REGION NPDES NO.	STATUS COMPARED TO PREVIOUS QUARTER				
INSTANCE OF NONCOMPLIANCE	RNC DATE	STATUS DATE	CODE COMMENTS		
ANSCHUTZ-MADISON MINE FREDERICKTOWN (SER) MO0098752	RESOLVED PENDING, UNDER ENF. EPA ACTION RESOLVED PENDING				
co	002A CHR 08/31/14 - 12/31/14, 03/31/15 05/31/15 - 10/31/15, 12/31/15 - 02/29/16, 06/30/16 - 08/31/16, 10/31/16 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 11/30/17, 01/31/18 - 03/31/18, 07/31/18 - 10/31/18, 12/31/18 02/28/19 - 12/31/20 - 07/31/21 09/30/21 - 06/30/22, 08/31/22, 09/30/22, 10/31/22,		2C RESOLVED PENDING		
NI	12/31/22 - 12/31/23 002A CHR 08/31/14 - 12/31/14, 03/31/15 05/31/14 - 10/31/15, 12/31/15 - 03/31/16, 06/30/16 - 08/31/16, 10/31/16, 12/31/16, 02/28/17 - 06/30/17, 08/31/17, 10/31/17 - 11/30/17 01/31/18 - 03/31/18 07/31/18 - 10/31/18, 12/31/18 02/28/19 - 09/30/22, 10/31/22, 12/31/22 - 12/31/23	RP 12/31/23	2C RESOLVED PENDING		
Cn	002A CHR 02/28/17 - 04/30/17, 08/31/17 04/30/18, 09/30/18, 04/30/19 - 06/30/19, 12/31/19, 02/29/20 - 06/30/20, 08/31/20, 09/30/20, 12/31/20, 02/28/21, 06/30/21 - 06/30/22, 8/30/22, 09/30/22, 10/31/22, 12/31/22 - 05/31/23, 07/31/23 08/31/23, 10/31/23 - 12/31/23	RP 12/31/23	2C RESOLVED PENDING		
CD	002A CHR 02/28/21 - 07/31/21 09/30/21 - 02/28/22 04/30/22, 06/30/22 - 09/30/22 10/31/22, 12/31/22 - 02/28/23, 06/30/23 - 12/31/23	RP 12/31/23	2C RESOLVED PENDING		
LD	002A CHR 02/28/21 - 04/30/22, 06/30/22, 08/30/22, 09/30/22, 10/31/22	RP 12/31/23	2C RESOLVED PENDING		

12/31/22, 01/31/23, 03/31/23,

DATE: 5/30/2024 **QUARTERLY NON-COMPLIANCE REPORT ** ONCR** REGION 07 PAGE - 6 -MAJOR NON-MUNICIPAL **MISSOURI** FROM: 10/01/23 to 12/31/23 KEY: NC NON-COMPLIANT RE RESOLVED RP RESOLVED PENDING ******************* NAME **VIOLATION STATUS** STATUS COMPARED TO PREVIOUS QUARTER LOCATION REGION NPDES NO. INSTANCE OF NONCOMPLIANCE RNC DATE STATUS DATE CODE COMMENTS 05/31/23, 06/30/23 - 08/31/23 10/31/23 - 12/31/23 LD 001A CHR 02/28/21 - 05/31/22, 12/31/22, RE 08/31/23 2C RESOLVED 01/31/23, 06/30/23, 08/31/23 MEMC, LLC NON-COMPLIANT, SOURCE OF LEAK IDENTIFIED - REPAIRS ONGOING. EXCEEDANCES ONGOING. ST. PETERS (SLR) SAME MO0000299 CHLORIDE 001M CHR 02/28/22 - 04/30/22, 06/30/22 NC 12/31/23 2C CHRONIC EFFLUENT VIOLATION 10/31/22 - 02/28/23, 06/30/23 - 12/31/23 PEA RIDGE RESOURCES RESOLVED PENDING, UNDER ENF - XAOC. NEW OWNER-NEW PERMIT ISSUED 7/1/22. RESOLVED PENDING SULLIVAN (SER)

06/30/16

03/28/23

12/31/23

RE

2C

3D

2C

RESOLVED W/ NEW PERMIT

RESOLVED PENDING

RESOLVED - EXPLANTION RECEIVED

001A CHR 01/31/14 - 04/30/16, 06/30/16 RE

001M CHR 8/31/23, 09/30/23, 11/30/23, RP

001M RPT 02/28/23

12/31/23

MO0000574 SULFATE

CU

DMR OVERDUE